Product Name: McGregor's Spraying Oil.

Print/View Date: 1/02/2022

Page 1 of 11



#### 1. PRODUCT AND COMPANY INFORMATION

Chemical/Product Name: McGregor's All Purpose Spraying Oil

Recommended uses: Insecticide

Restrictions on Use/Supply N/A

Molecular Formula: Emulsifiable concentrate containing 988 g/l

mineral oil

Supplier: Amalgamated Hardware Merchants Ltd (AHM)

Street Address: 8 Hautu Drive, Wiri, Manukau, New Zealand

Postal Address: PO Box 97162, Manukau 2241, New Zealand

Telephone +64 9 251 1310

Email: <a href="mailto:info@ahm.co.nz">info@ahm.co.nz</a>

Website: <u>www.ahm.co.nz</u>

Emergency Contact Numbers: 0800 764 766 (0800 POISON)

National Poisons Centre: 0800 764 766 (0800 POISON)

Product Name: McGregor's Spraying Oil.

Print/View Date: 1/02/2022

Page 2 of 11



#### 2. HAZARDS IDENTIFICATION

| HSNO                     | Transport of   | GHS            | Signal            | Hazard            | Precautionary statement codes |                            |         |          |
|--------------------------|--|----------------|-------------------|-------------------|-------------------------------|----------------------------|---------|----------|
| Hazard<br>Classification | Dangerous<br>Goods<br>Pictogram                              | Pictogram      | word              | statement<br>code | Prevention                    | Response                   | Storage | Disposal |
| Asp. Tox. 1              | Not<br>applicable<br>for the UN<br>RTDG Model<br>Regulations | <b>\limits</b> | No signal<br>word | H304              | P102<br>P103                  | P101<br>P301 + 310<br>P331 | P405    | P501     |

Signal word: DANGER

Dangerous Goods: Not a Dangerous Goods.

Packaging Group: Not applicable: Packaging must comply with

Part B, clause 8 – Hazardous Substances

(Packaging) Notice 2017.

GHS Codes: Aspiration Toxin, Cat 1.

Pictograms:



Hazard Statement: H304: May be fatal if swallowed and enters the

airways.

Designed for biocidal action

Precautionary Statements: P101: If medical advice is needed, have

product container or label at hand

P102: Keep out of reach of children

P103: Read label before use

P301 + P310: IF SWALLOWED: Immediately

call the POISON CENTRE or doctor.

P331: Do NOT induce vomiting.

P405: Store locked up.

P501: Dispose of product in accordance with local regulations. Small quantities may be disposed of in rubbish. Containers may be

recycled after being triple rinsed.

Product Name: McGregor's Spraying Oil.

Print/View Date: 1/02/2022

Page 3 of 11



### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Appearance: Pale yellow oily liquid

# Ingredients

| Ingredients                             | CAS#         | Content % |  |
|---|--------------|-----------|--|
| Light paraffinic distillates            | 64742-55-8   | >98%      |  |
|   | 64742-56-9   |           |  |
| Non specified non-hazardous ingredients | NA (Mixture) | to 100 %  |  |

### 4. FIRST AID MEASURES

| General information: | In case of accident, or if you feel unwell, seek medical advice immediate (have product label to hand).   |
|----------------------|---|
| Ingestion:           | May be fatal if swallowed and enters the airways. Rinse mouth. Do NOT induce vomiting. Immediately call NZ Poisons Centre on 0800 764 766. Have product label at hand.                              |
| Eye Contact:         | Not expect to cause eye irritancy. If irritation develops, rinse opened eye for several minutes under running water. Seek medical advice if irritation persist. Have product label at hand.         |
| Skin Contact:        | Not expected to cause skin irritation. May cause dryness through repeated or prolonged exposure. Wash exposed skin with soap and water and water. If you feel unwell seek immediate medical advice. |
| Inhalation:          | Unlikely to present an inhalation hazard at ambient temperature. However, may be fatal if swallowed and enters the airways. Do NOT eat, drink, or smoke when using this product. Wear a respirator. |
|                      | If breathing problems develop, seek medical advice or call NZ Poisons Centre on 0800 764  |

label at hand.

766. If medical advice is needed have product

Product Name: McGregor's Spraying Oil.

Print/View Date: 1/02/2022

Page 4 of 11



### 4. FIRST AID MEASURES

Advice for Medical Doctors: Treat symptomatically. Administer oxygen if

patient having breathing difficulties.

#### 5. FIRE FIGHTING MEASURES

 $2\overline{Z}$ HAZCHEM code:

Specific Hazards: None. Minimise the use of water to prevent

environmental contamination. Substance is

non-flammable.

Suitable Extinguishing Media: Appropriate fire extinguishers are Water fog,

CO<sub>2</sub>, Powder or Alcohol resistant foam. Use

extinguishing media appropriate to the

surrounding conditions. Do NOT use water jet.

Fire Fighting Advice: Fire fighters should wear self-contained

> breathing apparatus (AS/NZS 1715/1716). Bund area with sand or earth to prevent

contamination of drains or waterways. Dispose of extinguishing agent and spillage safely later.

Hazardous Products of Combustion: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

and smoke from combustion of hydrocarbons

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective

Use personal protective equipment. Avoid equipment, and emergency procedures: breathing vapours or mist. Ensure adequate

ventilation.

For personal protection see section 8.

Caution: will make surfaces slippery.

Prevent leakage or spillage if safe to do so. Environmental precautions:

Minor Spills (Up to 20 kg): Low environmental hazard. Contain spill and

collect.

Product Name: McGregor's Spraying Oil.

Print/View Date: 1/02/2022

Page 5 of 11



#### 6. ACCIDENTAL RELEASE MEASURES

Major Spills (more than 20 kg): Minimise spread. Contain spill and collect. Do

not allow product or washings to enter the waterways or sewer. If spill does enter

waterway contact local authority.

Collect in an appropriate sealable container for disposal in an approved landfill or incinerate at

an authorised installation.

# 7. HANDLING AND STORAGE

Precautions for safe handling: Avoid inhaling mist or spray. Avoid prolonged or

repeated contact with skin and eye. When handling bulk product in drums, safety footwear should be worn, and proper handling equipment should be used. Always use good personal hygiene procedures when handling this product. Wash hands and face before eating, drinking, or smoking. Clean equipment after use. Do not contaminate drains, sewers or waterways.

Conditions for safe Storage including

incompatibilities:

Keep out of the reach of children. Store in locked cupboard or secure location. Store in original container in a cool, dry, ventilated place, away from direct heat of sunlight. Store away from foodstuffs, children and animals.

Protection against fire and explosion: Keep away f

Keep away from heat sources although the product has no flammability. The product is not explosive. Keep away from oxidizing agents.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Standards: Use exposure standards for Oil mist, mineral.

No BEL applies. See 'Exposure limits' below (Workplace Exposure Standards and Biological Exposure Indices, November 2020, edition12-1)

and table below.

Engineering Controls: No special requirements when used as

recommended.

Product Name: McGregor's Spraying Oil.

Print/View Date: 1/02/2022

Page 6 of 11



### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Hand protection: If repeated or prolonged contact wear chemical

resistant gloves.

Eye protection: If there is significant potential for contact, wear

dust goggles.

Body protection: Skin protection not ordinarily required beyond

standard issue work clothes.

Respiratory Protection: Wear a respirator to minimise inhalation of mist

or spray.

General safety and hygiene measures: Handle in accordance with good hygiene and

safety practice. Wearing of closed work clothing is recommended. Minimise contact with the skin, eyes, and clothing. Store work clothing

separately.

Environmental Exposure Controls: Minimise release to the environment. For bulk

storage, an environmental assessment should be conducted to ensure compliance with local

environmental legislation.

#### **Exposure Standards:**

|                   |             | TWA |       | STEL |         |
|-------------------|-------------|-----|-------|------|---------|
| Substance         | Cas #       | ppm | mg/m³ | ppm  | mg/m³   |
| Oil mist, mineral | (8012-95-1) |     | 5     |      | 10 (om) |

OM – sampled by method that does not collect vapour

#### **Additional NZ EPA controls:**

No additional controls apply

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Pale yellow oily liquid

Odour: Mild oily odour

Odour Threshold: No data

pH Value: Not applicable

Product Name: McGregor's Spraying Oil.

Print/View Date: 1/02/2022

Page 7 of 11

Melting/freezing point: -60 to 0°C

Boiling point (range): >200°C

Flash Point: 157 - 190°C

Flammability: Non-flammable

Explosive limits: No data

Vapour pressure: <0.1 hPa at 20°C

Vapour density: No data

Relative density: 860 g/l

Solubility: Emulsifiable

Partition coefficient: No data

Auto-ignition temperature: No data

Decomposition temperature: No data

Viscosity:  $8.4 - 17.0 \text{ mm}^2/\text{s} \text{ at } 40^{\circ}\text{C}$ 

### 10. STABILITY AND REACTIVITY

Stability & Chemical reactivity: Stable under normal conditions of use. Not

explosive or oxidising.

Chemical/material Incompatibilities Oxidising agents.

Conditions to be avoid: Avoid excessive heating

Thermal Decomposition: Hazardous products of combustion; see section

5 for details.



Product Name: McGregor's Spraying Oil.

Print/View Date: 1/02/2022

Page 8 of 11



#### 11. TOXICOLOGICAL INFORMATION

Hazard Classes Aspiration Toxin, Cat 1

Acute Toxicity: Acute oral  $LD_{50} = >5000 \text{ mg/kg}$  (rat).

Acute inhalation LD<sub>50</sub> >5000mg/m<sup>3</sup> (rat)

Acute dermal LD<sub>50</sub> > 2000 mg/kg (rat)

Aspiration hazard May be fatal if swallowed and enters the

airways.

Skin corrosion/irritation: Repeated or prolonged exposure may cause

skin irritation and dermatitis, due to degreasing

properties of the product

Serious eye damage/irritation:

Not expected cause eye irritation

Respiratory or skin sensitisation: May cause respiratory irritation on inhalation of

mist or vapour. May cause skin sensitisation

and/or contact dermatitis

Germ cell mutagenicity: Sufficiently refined other lubricant base oils (IP

346 < 3%) were found to be non-mutagenic

Carcinogenicity: IARC: No component of this product present at

levels greater than or equal to 0.1% is identified

as probable, possible or confirmed human

carcinogen by IARC.

Reproductive toxicity: This product is not expected to cause

reproductive or developmental effects.

Specific organ toxicity – single

exposure:

No data

Specific organ toxicity – repeated

exposure:

No data

Narcotic effects: No data available.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated

Product Name: McGregor's Spraying Oil.

Print/View Date: 1/02/2022

Page 9 of 11



#### 12. ECOTOXICITY INFORMATION

Ecological information of substance: Non- toxic to aquatic life. Considered technically

not feasible (ECHA registration dossier).

Do not contaminate waterways, sewers, or drains when using product or packaging.

Bioaccumulation potential: No data

Soil Toxicity and degradability: No soil toxicity.

Mobility in soil No data.

## 13. DISPOSAL CONSIDERATIONS

Waste treatment – recommendation: Any appropriate and achievable methods for

the disposal of a substance in accordance with the Hazardous Substances (Disposal) Notice

2017.

Container Disposal: Empty containers can be recycled or sent to

landfill after cleaning if in compliance with local

and national regulations.

DO NOT reuse containers.

Methods of disposal to avoid Do not empty down stormwater system

## 14. TRANSPORT INFORMATION

Road, Rail; Marine and Air:

UN Number: Not applicable

UN Dangerous Goods Class: No restriction for transport.

Hazchem Code: 2Z

UN Packaging Group: Not applicable

UN Proper Shipping Name: Not applicable

Segregation: Not applicable.

Product Name: McGregor's Spraying Oil.

Print/View Date: 1/02/2022

Page 10 of 11



#### 15. N.Z. REGULATORY INFORMATION

HSNO approval Number: HSR000555

GHS Classifications: Aspiration Toxin Cat. 1

Designed for biocidal action

HSNO Controls: Refer to HSR000588

Other Controls Does not require a certified handler, secondary

containment, or an emergency management

plan.

### 16. OTHER INFORMATION

SDS date of preparation: 01 / 02 / 2022

SDS date of next revision: 01 / 02 / 2027

All Safety Data Sheets are subject to review and should not be left longer than five years before and update is obtained.

For further information visit the Amalgamated Hardware Merchants Ltd (AHM) web site, www.ahm.co.nz, or contact the supplier of the starting materials.

The information in this document should be made available to all who may handle the product. For proper and safe use of this product, please refer to the product label.

This information is based on data believed by Amalgamated Hardware Merchants Ltd (AHM) to be accurate at the time of writing. It is given in good faith, but no warranty expressed or implied is made as to its accuracy, completeness or otherwise. Every person dealing with the materials referred herein does so at their own risk absolutely and must make independent determinations of suitability and completeness of information from all sources to ensure their proper use.

Attention is drawn to the application and safety instructions set out on the label. This sheet is not a substitute for safety, hazard or application instructions set out on the label. As Amalgamated Hardware Merchants Ltd (AHM) and their distributors have no control over storage or use of this product no liability for accident or damage will be accepted.

### Abbreviations:

ADR: European agreement concerning the international carriage of dangerous goods by Road.

CLP: Classification, Labelling and Packaging

Product Name: McGregor's Spraying Oil.

Print/View Date: 1/02/2022

Page 11 of 11

IMDG: International Maritime Dangerous Goods.

IATA: International Air Transport Association.

ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

GHS: Global Harmonized System

EU: European Union

EC: European Commission

TLV: Threshold Limit Value

TWA: Time Weighted Average

STEL: Short-Term Exposure Limit

H Phrase: Hazard phrase

P Phrase: Precautionary phrase

